

## Wooden Cab Structure – Minimal Hoistway Requirements

- 32 Inch, 3 Speed, 7' Nominal Door Height

REF	LAYOUT NUMBER	DOOR CONFIG	CAB CONFIG	CAB WIDTH (w)	CAB DEPTH (d)	MIN. HOISTWAY WIDTH (W)	MIN. HOISTWAY DEPTH (D)
1	143001	800 X 2000 X 3	32 X 42 FRONT RH	32	42	52	56
2	143002	800 X 2000 X 3	32 X 48 FRONT RH	32	48	52	62
3	143003	800 X 2000 X 3	32 X 54 FRONT RH	32	54	52	68
4	143004	800 X 2000 X 3	32 X 60 FRONT RH	32	60	52	74
5	143005	800 X 2000 X 3	32 X 42 FRONT LH	32	42	52	56
6	143006	800 X 2000 X 3	32 X 48 FRONT LH	32	48	52	62
7	143007	800 X 2000 X 3	32 X 54 FRONT LH	32	54	52	68
8	143008	800 X 2000 X 3	32 X 60 FRONT LH	32	60	52	74
9	143009	800 X 2000 X 3	32 X 42 F/R	32	42	52	63
10	143010	800 X 2000 X 3	32 X 48 F/R	32	48	52	69
11	143011	800 X 2000 X 3	32 X 54 F/R	32	54	52	75
12	143012	800 X 2000 X 3	32 X 60 F/R	32	60	52	81
13	143013	800 X 2000 X 3	32 X 42 F/SIDE RH	32	42	60.5	58.5
14	143014	800 X 2000 X 3	32 X 48 F/SIDE RH	32	48	60.5	64.5
15	143015	800 X 2000 X 3	32 X 42 F/SIDE LH	32	42	60.5	58.5
16	143016	800 X 2000 X 3	32 X 48 F/SIDE LH	32	48	60.5	64.5

## Wooden Cab Structure – Minimal Hoistway Requirements

- 36 Inch, 3 Speed, 7' Nominal Door Height

REF	LAYOUT NUMBER	DOOR CONFIG	CAB CONFIG	CAB WIDTH (w)	CAB DEPTH (d)	MIN. HOISTWAY WIDTH (W)	MIN. HOISTWAY DEPTH (D)
37	143037	900 X 2000 X 3	36 X 42 FRONT RH	36	42	56	56
38	143038	900 X 2000 X 3	36 X 48 FRONT RH	36	48	56	62
39	143039	900 X 2000 X 3	36 X 54 FRONT RH	36	54	56	68
40	143040	900 X 2000 X 3	36 X 60 FRONT RH	36	60	56	74
41	143041	900 X 2000 X 3	42 X 42 FRONT RH	42	42	62	56
42	143042	900 X 2000 X 3	42 X 48 FRONT RH	42	48	62	62
43	143043	900 X 2000 X 3	36 X 42 FRONT LH	36	42	56	56
44	143044	900 X 2000 X 3	36 X 48 FRONT LH	36	48	56	62
45	143045	900 X 2000 X 3	36 X 54 FRONT LH	36	54	56	68
46	143046	900 X 2000 X 3	36 X 60 FRONT LH	36	60	56	74
47	143047	900 X 2000 X 3	42 X 42 FRONT LH	42	42	62	56
48	143048	900 X 2000 X 3	42 X 48 FRONT LH	42	48	62	62
49	143049	900 X 2000 X 3	36 X 42 F/R	36	42	56	63
50	143050	900 X 2000 X 3	36 X 48 F/R	36	48	56	69
51	143051	900 X 2000 X 3	36 X 54 F/R	36	54	56	75
52	143052	900 X 2000 X 3	36 X 60 F/R	36	60	56	81
53	143053	900 X 2000 X 3	42 X 42 F/R	42	42	62	63
54	143054	900 X 2000 X 3	42 X 48 F/R	42	48	62	69
55	143055	900 X 2000 X 3	36 X 42 F/SIDE RH	36	42	64.5	58.5
56	143056	900 X 2000 X 3	36 X 48 F/SIDE RH	36	48	64.5	64.5
57	143057	900 X 2000 X 3	36 X 42 F/SIDE LH	36	42	64.5	58.5
58	143058	900 X 2000 X 3	36 X 48 F/SIDE LH	36	48	64.5	64.5

## Wooden Cab Structure – Minimal Hoistway Requirements

- 36 Inch, 2 Speed, 7' Nominal Door Height

REF	LAYOUT NUMBER	DOOR CONFIG	CAB CONFIG	CAB WIDTH (w)	CAB DEPTH (d)	MIN. HOISTWAY WIDTH (W)	MIN. HOISTWAY DEPTH (D)
17	143017	900 X 2000 X 2	36 X 42 FRONT RH	36	42	60.75	54.75
18	143018	900 X 2000 X 2	36 X 48 FRONT RH	36	48	60.75	60.75
19	143019	900 X 2000 X 2	36 X 54 FRONT RH	36	54	60.75	66.75
20	143020	900 X 2000 X 2	36 X 60 FRONT RH	36	60	60.75	72.75
21	143021	900 X 2000 X 2	42 X 42 FRONT RH	42	42	66.75	54.75
22	143022	900 X 2000 X 2	42 X 48 FRONT RH	42	48	66.75	60.75
23	143023	900 X 2000 X 2	36 X 42 FRONT LH	36	42	60.75	54.75
24	143024	900 X 2000 X 2	36 X 48 FRONT LH	36	48	60.75	60.75
25	143025	900 X 2000 X 2	36 X 54 FRONT LH	36	54	60.75	66.75
26	143026	900 X 2000 X 2	36 X 60 FRONT LH	36	60	60.75	72.75
27	143027	900 X 2000 X 2	42 X 42 FRONT LH	42	42	66.75	54.75
28	143028	900 X 2000 X 2	42 X 48 FRONT LH	42	48	66.75	60.75
29	143029	900 X 2000 X 2	36 X 42 F/R	36	42	60.75	60.5
30	143030	900 X 2000 X 2	36 X 48 F/R	36	48	60.75	66.5
31	143031	900 X 2000 X 2	36 X 54 F/R	36	54	60.75	72.5
32	143032	900 X 2000 X 2	36 X 60 F/R	36	60	60.75	78.5
33	143033	900 X 2000 X 2	42 X 42 F/R	42	42	66.75	60.5
34	143034	900 X 2000 X 2	42 X 48 F/R	42	48	66.75	66.5
35	143035	900 X 2000 X 2	36 X 50 F/SIDE RH	36	50	68	65.25
36	143036	900 X 2000 X 2	36 X 50 F/SIDE LH	36	50	68	65.25

## Wooden Cab Structure – Minimal Hoistway Requirements

- 36 Inch, 2 Speed, 8' Nominal Door Height

REF	LAYOUT NUMBER	DOOR CONFIG	CAB CONFIG	CAB WIDTH (w)	CAB DEPTH (d)	MIN. HOISTWAY WIDTH (W)	MIN. HOISTWAY DEPTH (D)
59	143059	900 X 2400 X 2	36 X 42 FRONT RH	36	42	60.75	54.75
60	143060	900 X 2400 X 2	36 X 48 FRONT RH	36	48	60.75	60.75
61	143061	900 X 2400 X 2	36 X 54 FRONT RH	36	54	60.75	66.75
62	143062	900 X 2400 X 2	36 X 60 FRONT RH	36	60	60.75	72.75
63	143063	900 X 2400 X 2	42 X 42 FRONT RH	42	42	66.75	54.75
64	143064	900 X 2400 X 2	42 X 48 FRONT RH	42	48	66.75	60.75
65	143065	900 X 2400 X 2	36 X 42 FRONT LH	36	42	60.75	54.75
66	143066	900 X 2400 X 2	36 X 48 FRONT LH	36	48	60.75	60.75
67	143067	900 X 2400 X 2	36 X 54 FRONT LH	36	54	60.75	66.75
68	143068	900 X 2400 X 2	36 X 60 FRONT LH	36	60	60.75	72.75
69	143069	900 X 2400 X 2	42 X 42 FRONT LH	42	42	66.75	54.75
70	143070	900 X 2400 X 2	42 X 48 FRONT LH	42	48	66.75	60.75
71	143071	900 X 2400 X 2	36 X 42 F/R	36	42	60.75	60.5
72	143072	900 X 2400 X 2	36 X 48 F/R	36	48	60.75	66.5
73	143073	900 X 2400 X 2	36 X 54 F/R	36	54	60.75	72.5
74	143074	900 X 2400 X 2	36 X 60 F/R	36	60	60.75	78.5
75	143075	900 X 2400 X 2	42 X 42 F/R	42	42	66.75	60.5
76	143076	900 X 2400 X 2	42 X 48 F/R	42	48	66.75	66.5
77	143077	900 X 2400 X 2	36 X 50 F/SIDE RH	36	50	68	65.25
78	143078	900 X 2400 X 2	36 X 50 F/SIDE LH	36	50	68	65.25